

CERTIFIES THAT

Laboratorio de HLA de la Unidad de Inmunología CORDOBA - SPAIN (09-ES-006.994) SAS (Servicio Andaluz de Salud)

UNDER THE DIRECTION OF

Dr. Rafael GONZALEZ FERNANDEZ Dr. Juan MOLINA ALCAIDE

STANDARDS 8.0, IS GRANTED ACCREDITATION FOR HISTOCOMPATIBILITY TESTING HAVING MET THE REQUIREMENTS OF THE FEDERATION, ACCORDING TO THE EFI

From 02 May 2021 To 02 May 2022

Clinical Categories: Recipient Typing Renal and/or Pancreatic Transplantation: Recipient Typing Other Solid Organ Transplantation:

II Haematopoietic Stem Cell Transplantation: Antibody Screening Related Transplantation Donor Typing Antibody Identification Donor Registry Typing Yes Yes Yes Yes Yes Yes Yes VI III Transfusion: Disease Association Studies: Donor Typing Antibody Identification Antibody Screening Yes Yes Yes Yes Yes

Class II Typing by:	Technical Categories: Class I Typing by: CDC F	Cross-matching Chimaerism an
CDC	Categories: CDC Flow cytometry	Cross-matching Chimaerism and engraftment monitoring
DNA (low) Yes	DNA (low) Yes	Yes Yes
DNA (high) Yes	DNA (high) Yes	
) PCR-SSP Yes	PCR-SSP Yes	
PCR-SSO Yes	PCR-SSO Yes	
PCR-SBT	PCR-SBT	
NGS	NGS	

Cross-matching Cord Blood Typing Unrelated Transplantation

KIR Typing: MICA Typing:

Yes

CDC

HLA Antibody testing by: Identification

HNA Typing:

Cross-matching

HPA Typing:

Yes

Flow cytometry

ELISA

 $_{\rm Yes}^{\rm Yes}$ Bead array

HPA antibodies: HNA antibodies:

grante.

President

Dr. Ann-Margaret Little

Dr. Blanka Vidan-Jeras

(H)



CERTIFIES THAT

Laboratorio de HLA de la Unidad de Inmunología CORDOBA - SPAIN (09-ES-006.994) SAS (Servicio Andaluz de Salud)

UNDER THE DIRECTION OF

Dr. Rafael GONZALEZ FERNANDEZ Dr. Juan MOLINA ALCAIDE

STANDARDS 8.0, IS GRANTED ACCREDITATION FOR HISTOCOMPATIBILITY TESTING HAVING MET THE REQUIREMENTS OF THE FEDERATION, ACCORDING TO THE EFI

From 02 May 2021 To 02 May 2022

Clinical Categories: Renal and/or Pancreatic Transplantation:

Recipient Typing

II Haematopoietic Stem Cell Transplantation: Antibody Identification Antibody Screening Donor Registry Typing Donor Typing Yes Yes Yes Yes Yes III

Cord Blood Typing Unrelated Transplantation Related Transplantation Cross-matching Yes Yes Yes Yes M

Transfusion:

Disease Association Studies:

Donor Typing

Yes Yes

Yes Yes Yes

Antibody Screening Recipient Typing Other Solid Organ Transplantation:

Antibody Identification

Chimaerism and engraftment monitoring

Technical Categories:

Class I Typing by: CDC Flow cytometry

Class II Typing by:

CDC

DNA (low)

DNA (low)

DNA (high) Yes

PCR-SSP Yes

DNA (high)

PCR-SSP

PCR-SSO

NGS

PCR-SSO PCR-SBT

PCR-SBT

NGS

Yes Yes

Bead array

HPA antibodies: HNA antibodies:

HPA Typing: HNA Typing:

Cross-matching Identification

Yes

HLA Antibody testing by:

CDC

Flow cytometry

ELISA

KIR Typing: MICA Typing:

Yes

garatice.

President Dr. Ann-Margaret Little

H

Chair, Accreditation Committee Dr. Blanka Vidan-Jeras